

コード		08																			コード		08
分類コード	規格			(1) 基礎価格 (千円)	(2) 標準 使用 年数 (年)	償却 費率	年間標準			T 運転日 当り 標準運 転時間 (時間)	t 供用日 当り 標準運 転時間 (時間)	(6) 維持 修理 費率 (%)	(7) 年間 管理 費率 (%)	(9) 運転1時間当り 損料額 (円)	(11) 供用1日当り 損料額 (円)	参 考				摘 要			
	諸 元	機 関 出 力 (kW)	機 械 質 量 (t)				(3) 運 転 時 間 (時間)	(4) 運 転 日 数 (日)	(5) 供 用 日 数 (日)							(13) 運 転 1 時 間 当 り 換 算 値 損 料 額 (円)	(15) 供 用 1 日 当 り 換 算 値 損 料 額 (円)	(16) 燃料 の 種 類	(17) 燃料消費率 (ℓ/kW・h)		(17) 燃料消費率 (ℓ/h)		
024 【普通型・排出ガス対策型（第3次基準値）】																				低騒音型機械を含む。			
004-001	運転質量 3~4t	17	4.6	4,100	14.5	0.91	380	70	130	5.4	2.9	35	10.0	599	4,770	2,240	6,520	0.085	1.4				
020-001	8~20	71	14.8	11,200	〃	〃	〃	〃	〃	〃	〃	〃	〃	1,640	13,000	6,120	17,800	〃	6.0				
025 【普通型・排出ガス対策型（2011年規制）】																							
013-001	運転質量 13t	69	9.1	8,700	〃	〃	〃	〃	〃	〃	〃	〃	〃	1,270	10,100	4,750	13,800	〃	5.9				
073 【振動タイヤローラ・排出ガス対策型（第2次基準値）】																							
009-001	運転質量 9t	79	9.0	16,000	13.0	0.90	300	60	110	5.0	2.7	25	〃	2,860	22,500	11,200	30,300	〃	6.7				
0841 振動ローラ（舗装用）																							
100 【ハンドガイド式】																							
006-001	運転質量 0.5~0.6t	3.0	0.60	942	〃	〃	390	80	〃	4.9	3.5	〃	8.0	130	1,130	453	1,590	0.231	0.69				
011-001	0.8~1.1	5.0	0.80	1,380	〃	〃	〃	〃	〃	〃	〃	〃	〃	190	1,660	664	2,330	〃	1.2				
211 【搭乗・タンデム式】																							
015-001	運転質量 1.2~1.5t	10	1.4	1,550	〃	〃	300	70	〃	4.3	2.7	〃	10.0	277	2,190	1,090	2,940	0.160	1.6				
028-001	2.5~2.8	19	2.5	3,530	〃	〃	〃	〃	〃	〃	〃	〃	〃	632	4,970	2,470	6,700	〃	3.0				
040-001	3~4	21	3.9	4,150	〃	〃	〃	〃	〃	〃	〃	〃	〃	743	5,840	2,910	7,870	〃	3.4				
075-001	6~7.5	56	7.4	7,740	〃	〃	〃	〃	〃	〃	〃	〃	〃	1,390	10,900	5,430	14,700	〃	9.0				
100-001	8~10	77	9.4	11,500	〃	〃	〃	〃	〃	〃	〃	〃	〃	2,060	16,200	8,060	21,800	〃	12				
120-001	10.5~12	88	11.0	12,700	〃	〃	〃	〃	〃	〃	〃	〃	〃	2,270	17,800	8,860	24,100	〃	14				
180-001	15~18	150	16.7	18,200	〃	〃	〃	〃	〃	〃	〃	〃	〃	3,260	25,600	12,700	34,500	〃	24				
212 【搭乗・タンデム式・排出ガス対策型（第1次基準値）】																							
015-001	運転質量 1.2~1.5t	10	1.4	2,340	〃	〃	〃	〃	〃	〃	〃	〃	〃	419	3,290	1,640	4,440	〃	1.6				
028-001	2.4~2.8	19	2.5	3,970	〃	〃	〃	〃	〃	〃	〃	〃	〃	711	5,590	2,780	7,530	〃	3.0				
050-001	3~5	21	3.9	4,550	〃	〃	〃	〃	〃	〃	〃	〃	〃	814	6,410	3,190	8,630	〃	3.4				
075-001	6~7.5	56	7.4	8,540	〃	〃	〃	〃	〃	〃	〃	〃	〃	1,530	12,100	6,010	16,200	〃	9.0				

コード		18																					コード		18	
分類コード	規格				(1) 基礎価格 (千円)	(2) 標準 使用 年数 (年)	償却 費率	年間標準			T 運転日 当り 標準運 転時間 (時間)	t 供用日 当り 標準運 転時間 (時間)	(6) 維持 修理 費率 (%)	(7) 年間 管理 費率 (%)	(9) 運転1時間当り 損料額 (円)	(11) 供用1日当り 損料額 (円)	参 考					摘 要				
	諸 元		機 関 出 力 (kW)	機 械 質 量 (t)				(3) 運 転 時 間 (時間)	(4) 運 転 日 数 (日)	(5) 供 用 日 数 (日)							(13) 運 転 1 時 間 当 り 換 算 値 損 料 額 (円)	(15) 供 用 1 日 当 り 換 算 値 損 料 額 (円)	(16) 燃 料 の 種 類		(17) 燃 料 消 費 率 (ℓ/kW・h)		(17) 燃 料 消 費 率 (ℓ/h)			
100-001	10	24	11	0.36×2	1.9	4,790	8.0	0.93	-	-	140	-	-	70	8.0	-	11,200	-	11,200	E	0.305	3.6				
150-001	15	24	6.7×2	0.45×2	2.8	6,610	"	"	-	-	"	-	-	"	"	-	15,400	-	15,400	E	"	4.4				
200-001	20	24	7.5×2	0.45×2	3.2	7,110	"	"	-	-	"	-	-	"	"	-	16,600	-	16,600	E	"	4.8				
<b>1806 チェーンブロック (橋梁架設用)</b>																										
<b>017 [手動式]</b>																										
002-001	定格荷重 2.0t	揚程 3.0m	-		0.03	40	"	"	-	-	"	-	-	75	"	-	95	-	95							
003-001	3.0	3.0	-		0.04	57	"	"	-	-	"	-	-	"	"	-	136	-	136							
005-001	5.0	3.0	-		0.06	82	"	"	-	-	"	-	-	"	"	-	196	-	196							
010-001	10	3.5	-		0.10	151	"	"	-	-	"	-	-	"	"	-	360	-	360							
015-001	15	3.5	-		0.20	285	"	"	-	-	"	-	-	"	"	-	679	-	679							
020-001	20	7.0	-		0.38	538	"	"	-	-	"	-	-	"	"	-	1,280	-	1,280							
030-001	30	7.0	-		0.55	921	"	"	-	-	"	-	-	"	"	-	2,200	-	2,200							
040-001	40	7.0	-		0.82	1,350	"	"	-	-	"	-	-	"	"	-	3,220	-	3,220							
050-001	50	7.0	-		1.1	1,780	"	"	-	-	"	-	-	"	"	-	4,240	-	4,240							
<b>027 [電動チェーンブロック]</b>																										
005-001	定格荷重 5.0t	揚程 7.0m	巻上 3.0	横行 0.75	0.31	780	"	"	-	-	100	-	-	55	"	-	2,380	-	2,380	E	"	1.1				
010-001	10	7.0	3.0×2	0.75	0.44	1,330	"	"	-	-	"	-	-	"	"	-	4,050	-	4,050	E	"	2.1				
015-001	15	7.0	3.0×2	0.75×2	0.49	1,920	"	"	-	-	"	-	-	"	"	-	5,850	-	5,850	E	"	2.3				
020-001	20	7.0	3.0×2	0.75×2	0.62	2,410	"	"	-	-	"	-	-	"	"	-	7,350	-	7,350	E	"	2.3				
030-001	30	7.0	3.0×2	0.75×2	0.71	3,680	"	"	-	-	"	-	-	"	"	-	11,200	-	11,200	E	"	2.3				
040-001	40	7.0	3.0×2	0.75×2	0.90	4,800	"	"	-	-	"	-	-	"	"	-	14,600	-	14,600	E	"	2.3				
050-001	50	7.0	3.0×2	0.75×2	1.2	7,010	"	"	-	-	"	-	-	"	"	-	21,400	-	21,400	E	"	2.3				
<b>037 [電動チェーンブロック (高揚程型)]</b>																										
005-001	定格荷重 5.0t	揚程 50m	巻上 3.0	横行 0.75	0.40	1,370	"	"	-	-	120	-	-	45	"	-	3,310	-	3,310	E	"	1.1				

